

## **Brickmould** Series

The best wood window just happens to be made of vinyl.



### Brickmould Series



# The beauty of wood. The advantages of vinyl.

An optional **Flat Casing** surround simulates the look of a traditional wood window.

Both **light** and **dark woodgrain** interiors are available for a rich, warm appearance.

The Brickmould 600 series is a complete line, including a **Double Hung**, **Patio Door** and mulled configurations.

**Simulated Divided Lites** create the look of individual panes of glass.

A versatile **brickmould/J-channel** can be used for applications that contain brick, siding, or both.

## Decorum<sup>®</sup>

Brickmould 600 windows and doors are available with Decorum® by Simonton, a portfolio of custom styling options that makes it easy for your customers to create a custom look.



#### **Interior Colors**

**Between-the-glass Grids** 



#### **Exterior Colors**

Brick

Dronz

Chocolate

Oil-rubbed Bronze

**Simulated Divided Lites** 

are located on the interior and exterior of the home and pro-

vide the appearance and dimension of individual panes of glass.

Crafted of durable PVC, Simulated Divided Lites

Polished Brass

†Exterior colors are not available with a Driftwood interior.

**Custom Hardware Finishes** 

## Jamb Extenders

Wood and cellular PVC jamb extenders are available in 4-9/16," 5-1/4," 6-9/16" and 7-1/4" sizes and a variety of colors and finishes including finger-jointed primed, oak, clear pine, Quick Trim \* white, Quick Trim \* driftwood and Quick Trim \* Clearwood.

\*Quick Trim\* available only in 4-9/16" and 6-9/16" sizes


Cream

Driftwood


ine

Tan

Brickmould 600 windows can be mulled together to create the configurations homeowners want most. The optional Flat Casing surround is available in these popular configurations.




Two Double Hung windows mulled together with a Half-round Picture window above. A picture window or other Geometric shapes may be substituted for the Half-round Picture window.



A Double Hung mulled with a Half-round Picture window above. A picture window or other Geometric shapes may be substituted for the Half-round Picture window.



A wall of Double Hung windows.



A Picture window mulled with two Double Hung windows. Casement windows or Picture windows may be substituted for Double Hung windows.



Three Casement windows mulled together. Double Hung windows or Picture windows may be substituted for Casement windows.



### Brickmould Series



ProFinish® Brickmould 600 windows can be ordered to meet ENERGY STAR® guidelines.

#### **Double Hung**



Integral Brickmould/J-channel For the ultimate jobsite versatility, an integral brickmould serves double duty and also functions as a J-channel so it can be used in multiple applications, including brick and vinyl.

**(B)** Integral Nailing Fin An integrated nailing fin makes accurate installation easier and more efficient.

• Fusion-welded Frame and Sash The one-piece strength of the fusion-welded frame and sash makes for greater rigidity and easier handling.

1/2" Coil Spring Balance System The unique balance system keeps the frame and sash in perfect vertical alignment for more precise installation and smooth performance over time.

**Multi-tiered Exterior** A stepped design has a classic, chiseled appearance that complements both brick and siding exteriors.

**Sloped Sill Design** A special sill design initiates quick water drainage.

**G** Sill Dam Weatherstripping Additional weatherstripping serves as an effective weather barrier.

Premium Vinyl Profiles Remarkably strong vinyl is easy to handle, will retain its low-maintenance beauty for years and provides excellent thermal performance.


**7/8" Insulating Glass Unit** The 7/8" insulating glass unit is set 3/4" into the sash for increased thermal performance.


**ProSolar\* Low E Glass with an Argon Gas Fill** This advanced glass package, standard on Brickmould 600 series, delivers impressive thermal efficiency and interior comfort.

Overlapping, Interlocking Meeting Rail The meeting rail both overlaps and interlocks the sash, making the window virtually impervious to weather infiltration.

ProSolar\* Shade is an advanced, spectrally selective glass that features three layers of silver for maximum insulation. This impressive glass offers the ultimate in solar heat control, fading protection, visibility and energy savings.









The Intercept\* spacer system, standard on Brickmould 600 windows, features a unique U-channel design that minimizes condensation and keeps glass surfaces warmer for increased efficiency and comfort. The U-shape design flexes and contracts, helping to reduce seal failure in the insulating glass unit.

For even greater thermal performance and dependability, the optional **Supercept™** spacer combines a U-channel design with the strength of a stainless steel alloy.

SafePoint™ Impact-resistant Glass, a laminated glass, optional on Brickmould 600, provides protection against high winds and flying debris, helps deter forced entry and reduces unwanted noise infiltration.



 $\begin{tabular}{ll} \textbf{Corporate Headquarters: } 3948 \ Townsfair Way, Suite 200, Columbus, Ohio 43219 \\ 1-800-SIMONTON \ (1-800-746-6686) \ | \ simonton.com \\ \end{tabular}$ 

Simonton Windows\*, Simonton ProFinish\*, ProSolar\*, Decorum\*, We make lasting impressions.\*, and the stylized "S" are registered trademarks and Supercept™ and SafePoint™ are trademarks of Simonton Building Products, Inc.

Quick Trim\* and Clearwood\* are registered trademarks of Royal Building Products, Inc. Intercept\* is a registered trademark of PPG Industries, Inc. All product styles, features and options not available in all areas of the country.

Please consult your dealer prior to purchasing. @2012 Simonton Building Products, Inc. Printed in U.S.A.

0512 Publication No. 080603