

## Lighting Selections



FINE LINE  
*homes*



**P4358-09** Brushed Nickel  
Ten-light, two-tier chandelier in the timeless Americana collection with delicate arms, decorative center column and candelabra lamps.  
Size: 26" w., 23" ht.  
Lamp(s): Ten Candelabra Base lamp(s), each 60w max.



**P4358-20** Antique Bronze  
Ten-light, two-tier chandelier in the timeless Americana collection with delicate arms, decorative center column and candelabra lamps.  
Size: 26" w., 23" ht.  
Lamp(s): Ten Candelabra Base lamp(s), each 60w max.



**P4359-09** Brushed Nickel  
Fifteen-light, three-tier chandelier in the timeless Americana collection with delicate arms, decorative center column and candelabra lamps.  
Size: 26" w., 27 3/4" ht.  
Lamp(s): Fifteen Candelabra Base lamp(s), each 60w max.



**P4359-20** Antique Bronze  
Fifteen-light, three-tier chandelier in the timeless Americana collection with delicate arms, decorative center column and candelabra lamps.  
Size: 26" w., 27 3/4" ht.  
Lamp(s): Fifteen Candelabra Base lamp(s), each 60w max.



**P3779-09** Brushed Nickel  
Six-sided foyer fixture with clear, beveled glass panels. Hinged panel for ease of relamping.  
Size: 12-1/4" w., 31-3/4" ht.  
Lamp(s): Six Candelabra Base lamp(s), each 60w max.



**P3779-20** Antique Bronze  
Six-sided foyer fixture with clear, beveled glass panels. Hinged panel for ease of relamping.  
Size: 12-1/4" w., 31-7/8" ht.  
Lamp(s): Six Candelabra Base lamp(s), each 60w max.



**P3746-30** Textured White  
Semi-flush ceiling fixture with satin etched glass.  
Size: 15-1/4" w., 14" ht.  
Lamp(s): Three Medium Base lamp(s),  
each 100w max.



**P4095-30** White  
Four-light chandelier with clear prismatic glass shades.  
Size: 22-3/4" w., 13-1/4" ht.  
Lamp(s): Four Medium Base lamp(s), each 60w max.



**P3734-30** Textured White  
Close-to-ceiling fixture with satin etched glass.  
Size: 15" w., 7" ht.  
Lamp(s): Three Medium Base lamp(s),  
each 60w max.



P7006-30 Shown

**P7007-30 White**

Mount easily under cabinets and shelves, over a desk, in kitchens or any work area. All have a white acrylic diffuser and white baked enamel housing. Standard 120V NPF ballast.

Size: 24" L., 5-1/4" w., 1" ht.

Lamp: One F20T12 lamp 20w.





**P5096-09** Brushed Nickel  
One-light mini-pendant.  
Size: 6-1/2" w., 7" ht.  
Lamp: One Medium Base  
lamp 100w max.



**P5096-20** Antique Bronze  
One-light mini-pendant.  
Size: 6-1/2" w., 7" ht.  
Lamp: One Medium Base lamp  
100w max.



**P3732-30** Textured White  
Close-to-ceiling fixture with satin etched glass.  
Size: 11" w., 5-3/4" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 60w max.



**P3733-30** Textured White  
Close-to-ceiling fixture with satin etched glass.  
Size: 12-1/2" w., 6" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 75w max.



**P3734-30** Textured White  
Close-to-ceiling fixture with satin etched glass.  
Size: 15" w., 7" ht.  
Lamp(s): Three Medium Base lamp(s), each 60w max.



**P5691-60 White**  
Impact resistant fixture. Can be wall or ceiling mounted. Has polycarbonate diffuser and porcelain medium base socket. UL listed for wet locations. Size: 5-3/4" w., 8-1/4" ht. Extends 4-3/8". Lamp: One Medium Base lamp 75w max.



**P3298-30 White**  
Four-light Broadway lighting strips.  
Sockets are on 6 inch centers.  
UL listed for ceiling mounting with 25w max lamps.  
Size: 24" w., 4-1/4" ht.  
Lamps: Four Medium Base lamps, each 60w max.



**P4328-10** Polished Brass  
Five-light chandelier with etched glass.  
Size: 23" w., 24" ht.  
Lamp(s): Five Medium Base lamp(s), each 100w max.



**P4328-09** Brushed Nickel  
Five-light chandelier with etched glass.  
Size: 23" w., 24" ht.  
Lamp(s): Five Medium Base lamp(s), each 100w max.



**P4328-20** Antique Bronze  
Five-light chandelier with etched glass.  
Size: 23" w., 24" ht.  
Lamp(s): Five Medium Base lamp(s), each 100w max.



**P4324-10** Polished Brass  
Three-light chandelier with etched glass.  
Size: 19" w., 21" ht.  
Lamp(s): Three Medium Base lamp(s),  
each 100w max.



**P4324-09** Brushed Nickel  
Three-light chandelier with etched glass.  
Size: 19" w., 21" ht.  
Lamp(s): Three Medium Base lamp(s),  
each 100w max.



**P4324-20** Antique Bronze  
Three-light chandelier with etched glass.  
Size: 19" w., 21" ht.  
Lamp(s): Three Medium Base lamp(s),  
each 100w max.





**P4329-10** Polished Brass  
Nine-light chandelier with etched glass.  
Size: 30" w., 33" ht.  
Lamp(s): Nine Medium Base lamp(s), each 100w max.



**P4329-09** Brushed Nickel  
Nine-light chandelier with etched glass.  
Size: 30" w., 33" ht.  
Lamp(s): Nine Medium Base lamp(s), each 100w max.



**P4329-20** Antique Bronze  
Nine-light chandelier with etched glass.  
Size: 30" w., 33" ht.  
Lamp(s): Nine Medium Base lamp(s), each 100w max.



**P4328-10** Polished Brass  
Five-light chandelier with etched glass.  
Size: 23" w., 24" ht.  
Lamp(s): Five Medium Base lamp(s), each 100w max.



**P4328-09** Brushed Nickel  
Five-light chandelier with etched glass.  
Size: 23" w., 24" ht.  
Lamp(s): Five Medium Base lamp(s), each 100w max.



**P4328-20** Antique Bronze  
Five-light chandelier with etched glass.  
Size: 23" w., 24" ht.  
Lamp(s): Five Medium Base lamp(s), each 100w max.



**P3473-10** Polished Brass  
Two-light semi-flush close-to-ceiling fixture.  
Size: 16" w., 15" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 100w max.



**P3473-09** Brushed Nickel  
Two-light semi-flush close-to-ceiling fixture.  
Size: 16" w., 15" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 100w max.



**P3473-20** Antique Bronze  
Two-light semi-flush close-to-ceiling fixture.  
Size: 16" w., 15" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 100w max.



**P3477-10** Polished Brass  
Three-light close-to-ceiling fixture.  
Size: 17" w., 9" ht.  
Lamp(s): Three Medium Base lamp(s),  
each 60w max.



**P3477-09** Brushed Nickel  
Three-light close-to-ceiling fixture.  
Size: 17" w., 9" ht.  
Lamp(s): Three Medium Base lamp(s),  
each 60w max.



**P3477-20** Antique Bronze  
Three-light close-to-ceiling fixture.  
Size: 17" w., 9" ht.  
Lamp(s): Three Medium Base lamp(s),  
each 60w max.



P7006-30 Shown

**P7007-30 White**

Mount easily under cabinets and shelves, over a desk, in kitchens or any work area. All have a white acrylic diffuser and white baked enamel housing. Standard 120V NPF ballast.

Size: 24" L., 5-1/4" w., 1" ht.

Lamp: One F20T12 lamp 20w.



**P5096-10** Polished Brass  
One-light mini-pendant.  
Size: 6-1/2" w., 7" ht.  
Lamp(s): One Medium Base lamp(s),  
each 100w max.



**P5096-09** Brushed Nickel  
One-light mini-pendant.  
Size: 6-1/2" w., 7" ht.  
Lamp(s): One Medium Base lamp(s),  
each 100w max.



**P5096-20** Antique Bronze  
One-light mini-pendant.  
Size: 6-1/2" w., 7" ht.  
Lamp(s): One Medium Base lamp(s),  
each 100w max.



**P3475-10** Polished Brass  
One-light close-to-ceiling fixture.  
Size: 12-1/2" w., 7-3/8" ht.  
Lamp(s): One Medium Base lamp(s),  
each 100w max.



**P3475-09** Brushed Nickel  
One-light close-to-ceiling fixture.  
Size: 12-1/2" w., 7-3/8" ht.  
Lamp(s): One Medium Base lamp(s),  
each 100w max.



**P3475-20** Antique Bronze  
One-light close-to-ceiling fixture.  
Size: 12-1/2" w., 7-3/8" ht.  
Lamp(s): One Medium Base lamp(s),  
each 100w max.



**P3476-10** Polished Brass  
Two-light close-to-ceiling fixture.  
Size: 15" w., 7-1/2" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 60w max.



**P3476-09** Brushed Nickel  
Two-light close-to-ceiling fixture.  
Size: 15" w., 7-1/2" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 60w max.



**P3476-20** Antique Bronze  
Two-light close-to-ceiling fixture.  
Size: 15" w., 7-1/2" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 60w max.





**P3476-10** Polished Brass  
Two-light close-to-ceiling fixture.  
Size: 15" w., 7-1/2" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 60w max.



**P3476-09** Brushed Nickel  
Two-light close-to-ceiling fixture.  
Size: 15" w., 7-1/2" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 60w max.



**P3476-20** Antique Bronze  
Two-light close-to-ceiling fixture.  
Size: 15" w., 7-1/2" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 60w max.



**P5691-60 White**  
Impact resistant fixture. Can be wall or ceiling mounted. Has polycarbonate diffuser and porcelain medium base socket. UL listed for wet locations. Size: 5-3/4" w., 8-1/4" ht. Extends 4-3/8". Lamp: One Medium Base lamp 75w max.



**P3298-30 White**  
Four-light Broadway lighting strips.  
Sockets are on 6 inch centers.  
UL listed for ceiling mounting with 25w max lamps.  
Size: 24" w., 4-1/4" ht.  
Lamps: Four Medium Base lamps, each 60w max.



**P3191-09** Brushed Nickel  
Two-light bath bracket.  
Size: 17-1/4" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Two Medium Base lamps, each 100w max.



**P3191-10** Polished Brass  
Two-light bath bracket.  
Size: 17-1/4" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Two Medium Base lamps, each 100w max.



**P3191-15** Polished Chrome  
Two-light bath bracket.  
Size: 17-1/4" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Two Medium Base lamps, each 100w max.



**P3191-20** Antique Bronze  
Two-light bath bracket.  
Size: 17-1/4" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Two Medium Base lamps, each 100w max.



**P3192-09** Brushed Nickel  
Three-light bath bracket.  
Size: 24" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Three Medium Base lamps, each 100w max.



**P3192-10** Polished Brass  
Three-light bath bracket.  
Size: 24" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Three Medium Base lamps, each 100w max.



**P3192-15** Polished Chrome  
Three-light bath bracket.  
Size: 24" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Three Medium Base lamps, each 100w max.



**P3192-20** Antique Bronze  
Three-light bath bracket.  
Size: 24" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Three Medium Base lamps, each 100w max.



**P3193-09** Brushed Nickel  
Four-light bath bracket.  
Size: 33-1/4" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Four Medium Base lamps, each 100w max.



**P3193-10** Polished Brass  
Four-light bath bracket.  
Size: 33-1/4" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Four Medium Base lamps, each 100w max.



**P3193-15** Polished Chrome  
Four-light bath bracket.  
Size: 33-1/4" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Four Medium Base lamps, each 100w max.



**P3193-20** Antique Bronze  
Four-light bath bracket.  
Size: 33-1/4" w., 8-1/8" ht. Extends 7-3/8".  
Lamps: Four Medium Base lamps, each 100w max.

### Dining Room



**P4052-33** Cobblestone  
Six-light foyer fixture with etched alabaster style glass decoratively framed in a finely crafted, hand-painted wire framework.  
Size: 33" w., 27-1/2" ht.  
Lamp(s): Six Medium Base lamp(s), each 100w max.

### Brunch



**P5047-33** Cobblestone  
One-light etched alabaster style glass pendant.  
Size: 17-1/4" w., 17" ht.  
Lamp(s): One Medium Base lamp(s), each 150w max.

### Large Foyer



**P3649-33** Cobblestone  
Twelve-light foyer fixture with three-light etched alabaster style glass bowl.  
Size: 32" w., 40" ht.  
Lamp(s): Twelve Candelabra Base lamp(s), each 60w max.

### Medium foyer



**P3648-33** Cobblestone  
Three-light foyer fixture with etched alabaster style glass.  
Size: 23-1/4" w., 29" ht.  
Lamp(s): Three Medium Base lamp(s), each 100w max.

### Small Foyer



**P3647-33** Cobblestone  
Two-light semi-flush close-to-ceiling with etched alabaster style glass.  
Size: 14-5/8" w., 12-3/8" ht.  
Lamp(s): Two Medium Base lamp(s), each 100w max.



## Kitchen



**P3450-33** Cobblestone  
Close-to-ceiling fixture with  
alabaster style glass in a frame.  
Size: 15-1/2" w., 8-7/8" ht.  
Lamp(s): Three Medium Base lamp(s),  
each 60w max.

## Kitchen



**P5046-33** Cobblestone  
One-light etched alabaster  
style glass mini-pendant.  
Size: 8" w., 14-1/2" ht.  
Lamp: One Medium Base  
lamp 100w max.

## Walk in Closet/ Utility Room



**P3449-33** Cobblestone  
Close-to-ceiling fixture with  
alabaster style glass in a frame.  
Size: 13-1/4" w., 7-3/4" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 60w max.

## Hall/Bedroom/Office



**P3449-33** Cobblestone  
Close-to-ceiling fixture with  
alabaster style glass in a frame.  
Size: 13-1/4" w., 7-3/4" ht.  
Lamp(s): Two Medium Base lamp(s),  
each 60w max.





**P87-AT No Finish**

Unit can be installed in ceilings from 1/2" to 2-1/2" thick. Heavy duty mounting frame, full reflector design, UL & CUL listed for damp locations.  
Size: 6-7/8" ceiling opening L., 7-3/8" frame w., 10-3/4" frame ht. Extends 7-1/2".



**P8072-28 Bright White**  
Open Splay. For insulated ceilings.  
7-3/4" outside diameter.  
Size: 7-3/4" w.,



**P8025-60 White**  
Dome Shower. For insulated ceilings.  
Wet location listed. 8-1/4" outside diameter.  
Size: 8-1/4" w.,



**P8076-28 Bright White**  
Eyeball. For insulated ceilings.  
Rotates 358, tilts 30 max.  
7-3/4" outside diameter.  
Size: 7-3/4" w., 7-1/8" ht.

Front Entrance



**P5831-10** Polished Brass Hexagonal wall torch with beveled glass. Size: 7" w., 29" ht. Extends 7". Lamp(s): One Medium Base lamp(s), each 100w max.

Front Entrance



**P5831-09** Brushed Nickel Hexagonal wall torch with beveled glass. Size: 7" w., 29" ht. Extends 7". Lamp: One Medium Base lamp 100w max.

Front Entrance



**P5831-31** Black Hexagonal wall torch with beveled glass. Size: 7" w., 29" ht. Extends 7". Lamp: One Medium Base lamp 100w max.

*\*Shown in Brushed Nickel*

Front Entrance



**P5776-19** Roman Bronze Wall lantern with clear, seeded glass. Size: 7" w., 25" ht. Extends 7-1/4". Lamp(s): One Medium Base lamp(s), each 100w max.

Service Door



**P5758-09** Brushed Nickel Wall torch with beveled glass panels.  
Size: 5-1/2" w., 18-3/4" ht.  
Extends 5-5/8".  
Lamp: One Medium Base lamp 100w max.

Service Door



**P5758-10** Polished Brass Wall torch with beveled glass panels.  
Size: 5-1/2" w., 18-3/4" ht.  
Extends 5-5/8".  
Lamp: One Medium Base lamp 100w max.

Service Door



**P5758-31** Black Wall torch with beveled glass panels.  
Size: 5-1/2" w., 18-3/4" ht.  
Extends 5-5/8".  
Lamp: One Medium Base lamp 100w max.

Service Door



**P5773-19** Roman Bronze Lantern with clear, seeded glass.  
Size: 5-3/4" w., 18-1/4" ht.  
Extends 5-3/4".  
Lamp(s): One Medium Base lamp(s), each 100w max.

### Soffit



**P8072WL-28** Bright White

Open Splay. For insulated ceilings.  
7-3/4" outside diameter.

Size: 7-3/4" w.,

**P87-AT** No Finish

Unit can be installed in ceilings from  
1/2" to 2-1/2" thick. Heavy duty mounting  
frame, full reflector design, UL & CUL  
listed for damp locations.

Size: 6-7/8" ceiling opening L., 7-3/8" frame  
w., 10-3/4" frame ht.

Extends 7-1/2".

Outside Post



**P5432-10** Polished Brass  
Hexagonal post lantern with  
clear beveled glass and  
BrassGuard finish.  
Size: 9-1/2" w., 21" ht.  
Lamps: Three Candelabra Base  
lamps, each 60w max.

Outside Post




**P5432-31** Black  
Hexagonal post lantern with  
clear beveled glass and  
BrassGuard finish.  
Size: 9-1/2" w., 21" ht.  
Lamps: Three Candelabra Base  
lamps, each 60w max.

Outside Post



**P5475-19** Roman Bronze  
Bronze Post lantern with clear,  
seeded glass.  
Size: 7" w., 15" ht.  
Lamp: One Medium Base lamp  
100w max.


Post without Arm



**P5390-31PC** Black  
Aluminum post with photocell.  
Size: 7' L., 3" w., 7" ht.

OR

Post with Arm



**P5391-31PC** Black  
Aluminum post with ladder rest  
except with photoelectric cell.  
Size: 7' L., 3" w.,

Bilco Door



**P5602-31** Black  
Powder-coated finish.  
Clear marine glass.  
Size: 4-1/2" w., 7-1/4" ht.  
Extends 5-1/2".  
Lamp: One Medium Base  
lamp 75w max.

Front Entrance



**P5688-20** Antique Bronze  
The Andover collection  
two-light medium wall lantern  
with solid brass construction.  
Size: 7-1/2" sq. w., 21-1/4" ht.  
Extends 8-1/4".  
Lamps: Two Candelabra Base  
lamps, each 60w max.

Service Door



**P5687-20** Antique Bronze  
The Andover collection  
one-light small wall lantern  
with solid brass construction.  
Size: 5-1/2" sq. w., 12-1/2" ht.  
Extends 6-1/4".  
Lamp: One Medium Base  
lamp 100w max.

Post Light



**P5487-20** Antique Bronze  
The Andover collection  
three-light post lantern  
with solid brass construction.  
Size: 9-1/2" sq. w., 20-1/2" ht.  
Lamps: Three Candelabra Base  
lamps, each 60w max.